



GCE AS/A LEVEL

2300U20-1

WEDNESDAY, 8 JUNE 2022 – AFTERNOON

MATHEMATICS – AS unit 2

APPLIED MATHEMATICS A

1 hour 45 minutes plus your additional time allowance

ADDITIONAL MATERIALS

In addition to this examination paper, you will need:

- a WJEC pink 16-page answer booklet;
- a Formula Booklet;
- a calculator;
- statistical tables (RND/WJEC Publications).

INSTRUCTIONS TO CANDIDATES

Use black ink, black ball-point pen or your usual method. You may use a pencil for graphs and diagrams only.

Answer ALL questions.

Write your answers in the separate answer booklet provided, following the instructions on the front of the answer booklet.

Use both sides of the paper. Please only write within the white areas of the booklet.

Write the question number in the left hand margin at the start of each answer. Write the sub parts, e.g. (a), (b) and (c), within the white areas of the booklet.

(Turn over)

Leave at least two line spaces between each answer.

Take g as 9.8 ms^{-2}

Sufficient working must be shown to demonstrate the MATHEMATICAL method employed.

Answers without working may not gain full credit.

Unless the degree of accuracy is stated in the question, answers should be rounded appropriately.

INFORMATION FOR CANDIDATES

The maximum mark for this paper is 75.

The number of marks is given in brackets at the end of each question or part-question.

You are reminded of the necessity for good English and orderly presentation in your answers.

(Turn over)

REMINDER: Sufficient working must be shown to demonstrate the **MATHEMATICAL** method employed.

SECTION A: STATISTICS

01. The events ***A*** and ***B*** are such that

$$P(A) = 0.3$$

$$P(B) = 0.6$$

$$P(A \cup B) = 0.82$$

- (a) Determine whether or not ***A*** and ***B*** are independent. [4 marks]
- (b) Find the probability that exactly one of ***A*** and ***B*** occurs. [3 marks]

(Turn over)

02. The probability distribution for X , the lifetime of a light bulb, in hours, is given below.

X	Probability
$256 \leq x < 259$	0.05
$259 \leq x < 262$	0.25
$262 \leq x < 265$	0.45
$265 \leq x < 267$	0.20
$267 \leq x < 300$	0.05

02 (a)

Suppose that a random sample of **40** light bulbs is tested, and a histogram is drawn of their lifetimes. Calculate the expected height of the bar for the interval **$262 \leq x < 265$** [2 marks]

(b) Now suppose that the last two intervals are changed to **$265 \leq x < 268$** and **$268 \leq x < 300$**

Explain why it is not possible to tell what will happen to the expected heights of the last two bars. [1 mark]

(c) Celyn collects a different random sample of **40** light bulbs to test. She draws a histogram of their lifetimes and finds that it is different to the histogram referred to in part (a). Should Celyn be concerned that the two histograms are different? [1 mark]

03. In a study, samples of soil were collected during the summer. Soil samples of dimensions **$25\text{ cm} \times 25\text{ cm} \times 40\text{ cm}$** were collected for analysis. The study found that there were, on average, **11** earthworms per sample.
- (a) Explain briefly the conditions under which a Poisson distribution could be used to model the number of earthworms per sample. [1 mark]
- (b) In July, pupils at a primary school are asked to dig a smaller hole, **$25\text{ cm} \times 25\text{ cm} \times 10\text{ cm}$** and to count the number of earthworms they find. Calculate the probability that the pupils find exactly **5** earthworms. [3 marks]
- (c) In the autumn, the average number of earthworms per sample is greater than in the summer. The probability that, in the autumn, there are fewer than **13** earthworms in a soil sample of dimensions **$25\text{ cm} \times 25\text{ cm} \times 40\text{ cm}$** is close to **36%**. Find the mean number of earthworms, to the nearest whole number, per **$25\text{ cm} \times 25\text{ cm} \times 40\text{ cm}$** soil sample in the autumn. [2 marks]

(Turn over)

04. Jessica is studying the relationship between hip girth, **h cm**, and thigh girth, **t cm**, for American adults who are physically active. She takes a random sample of **11** people from a very large dataset which she has downloaded into a spreadsheet software package. The results are shown below.

h (cm)	t (cm)
98.6	48.3
112.1	87.2
97.9	55.2
110.2	68.0
89.2	48.5
111.7	63.2
87.0	49.5
94.7	55.7
100.4	59.1
104.0	64.0
88.4	52.4


(Turn over)

04 (a)

Jessica notes that, for the thigh girth data, the lower quartile is **49.5** and the upper quartile is **64.0**

- (i) Show that **87.2** should be classified as an outlier for **t**
- (ii) Give a reason why Jessica might exclude the outlier.
- (iii) Give a reason why Jessica might include the outlier. [4 marks]

THIGH GIRTH VERSUS HIP GIRTH



04. Jessica decides to exclude the outlier and produces the scatter diagram opposite.
- (b) Interpret, in context, the correlation in the data shown in the diagram. [1 mark]

The equation of the regression line of t on h for this sample is

$$t = 0.69h - 11.26$$

- (c) Interpret the gradient of the regression line in this context. [1 mark]
- (d) Use your knowledge of large data sets and spreadsheet software packages to suggest a way in which Jessica could improve her investigation. [1 mark]

05. A company, **Run4Lyfe**, sponsors an athletic event. The organisers of the event claim that **70%** of the participants know the name of the sponsoring company. **Run4Lyfe** is concerned that the proportion, p , of participants knowing the name of the sponsoring company is less than **70%**. They decide to survey **60** randomly selected participants to carry out a significance test.
- (a) State suitable hypotheses for carrying out the test. [1 mark]
- (b) (i) Explain what is meant by the critical region for this test.
- (ii) Determine the critical region if the test is to be carried out at a significance level as close as possible to, but not exceeding, **5%**.
- (iii) Given that **40** participants out of the **60** in the sample know the name of the company, complete the significance test. [6 marks]
- (c) State, with a reason, how you would advise **Run4Lyfe** with regards to sponsoring the event next year. [1 mark]
- (Turn over)

06. The fertility rate for a country is the average number of children that are born to a woman over her lifetime. The graphs and table opposite show some data on the fertility rates for **197** countries in the years **1914** and **2014**.
- (a) Comment on the shapes of the distributions of fertility rates for **1914** and **2014**. [2 marks]
- (b) Interpret the minimum value, **-0.71** in the boxplot. [1 mark]

06. You are also given the following information:

COUNTRY	FERTILITY RATE FOR 1914	FERTILITY RATE FOR 2014
France	Between 2 and 3	1.98
Ethiopia	Between 6 and 7	4.4

(c) (i)

Find the best possible estimate for the decrease in the fertility rate from **1914** to **2014** for France.


(ii) Find the best possible estimate for the decrease in the fertility rate from **1914** to **2014** for Ethiopia.

(iii) Give one possible reason why the answers to (i) and (ii) are so different.

(iv) Explain why these estimates may not be very accurate.

[5 marks]

(Turn over)



SECTION B: MECHANICS

07. The diagram opposite shows a vehicle of mass **1300 kg** towing a trailer of mass **500 kg** by means of a light horizontal tow bar. The vehicle is moving forward along a straight horizontal road such that a constant resistance of magnitude **650 N** acts on the vehicle and a constant resistance of magnitude **320 N** acts on the trailer. The vehicle's engine produces a constant driving force of **F N**


Given that the acceleration of the vehicle and trailer is **0.85 ms^{-2}**

show that **$F = 2500$** and determine the tension in the tow bar. **[6 marks]**

08. An aircraft moves along a straight horizontal runway with a constant acceleration of 1.5 ms^{-2}

Points **A** and **B** lie on the runway. The aircraft passes **A** with speed 4 ms^{-1} and its speed at **B** must be at least 78 ms^{-1} if it is to take off successfully.

- (a) Find the speed of the aircraft **8** seconds after it passes **A** [2 marks]
- (b) Determine the minimum value of the distance **AB** for the aircraft to take off successfully. [3 marks]



09. The diagram opposite shows an object **A**, of mass **15 kg**, lying on a smooth horizontal surface. It is connected to a box **B** by a light inextensible string which passes over a smooth pulley **P**, fixed at the edge of the surface, so that box **B** hangs freely. An object **C** lies on the horizontal floor of box **B** so that the combined mass of **B** and **C** is **10 kg**

Initially, the system is held at rest with the string just taut. A horizontal force of magnitude **150 N** is then applied to **A** in the direction **PA** so that box **B** is raised.

- (a) Find the magnitude of the acceleration of **A** and the tension in the string. [6 marks]
- (b) Given that object **C** has mass **4 kg** calculate the reaction of the floor of the box on object **C** [3 marks]

10. In this question, $\underline{i}$ and $\underline{j}$ represent unit vectors due east and due north respectively.

Sarah is going for a walk. She leaves her house and walks directly to the shop. She then walks directly from the shop to the park. Relative to her house:

- the shop has position vector $\left(-\frac{2}{3}\underline{j}\right)\text{km}$
 - the park is **2 km** away on a bearing of **060°**
- (a) Show that the position vector of the park relative to the house is $\left(\sqrt{3}\underline{i} + \underline{j}\right)\text{km}$ [2 marks]
- (b) Determine the total distance walked by Sarah from her house to the park. [3 marks]
- (c) By considering a modelling assumption you have made, explain why the answer you found in part (b) may not be the actual distance that Sarah walked. [1 mark]

11. A particle P moves along the X -axis so that its velocity $v \text{ ms}^{-1}$ at time t seconds ($t \geq 0$) is given by


$$v = 3t^2 - 24t + 36$$

- (a) Find the values of t when P is instantaneously at rest. [2 marks]
- (b) Calculate the total distance travelled by the particle P whilst its velocity is decreasing. [7 marks]

END OF PAPER

FERTILITY RATES IN 1914


Percentage



Fertility rate


FERTILITY RATES IN 2014

Percentage



Fertility rate

DECREASES IN FERTILITY RATES FROM 1914 TO 2014



DECREASES IN FERTILITY RATES FROM 1914 TO 2014, <i>n</i> = 197	
Minimum value	-0.71
Lower quartile	2.08
Median	3.19
Upper quartile	3.94
Maximum value	6.49